

GOVERNMENT OF TELANGANA
ABSTRACT

Public Servants – PR&RD Dept. – Allegations of irregularities in execution of Metal road from Bommakal to Chegurthy via Godumakunta, Karimnagar (Mandal & District) – Misusing of Govt. funds and substandard execution of road work – Sri K.Devender, Dy.EE, PRI Sub Division, Karimnagar - Disciplinary proceedings under Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 (Telangana Adaptation) Order, 2016– Article of charges – Issued.

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.I) DEPARTMENT

G.O.RT.No. 403

Dated: 06-06-2016

ORDER:

It is proposed to hold an enquiry against Sri K. Devender, Dy.EE, PRI Sub Division, Karimnagar, in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 (Telangana Adaptation) Order, 2016.

2. The substance of the imputations of misconduct or misbehavior in respect of which the enquiry is proposed to be held is set out in the enclosed statement of article of charges (Annexure-I). A list of documents by which and a list of witnesses by whom, the article of charges are proposed to be sustained are also enclosed (Annexure-II).

3. Sri K. Devender, Dy.EE, PRI Sub Division, Karimnagar, is directed to submit within ten (10) days of the receipt of this order, a written statement of his defence.

4. Sri K. Devender, Dy.EE, PRI Sub Division, Karimnagar, is informed that an enquiry will be held only in respect of article of those charges as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri K. Devender, Dy.EE, PRI Sub Division, Karimnagar, is further informed that if he does not submit his written statement of defence on or before the Period specified in Para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 (Telangana Adaptation) Order, 2016 or the orders / directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex-parte.

6. Sri K. Devender, Dy.EE, PRI Sub Division, Karimnagar, is invited to Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964 (Telangana Adaptation) Order, 2016, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings, it will be presumed that Sri K. Devender, Dy.EE, PRI Sub Division, Karimnagar, is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964 (Telangana Adaptation) Order, 2016.

7. The receipt of this G.O. shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

S.P.SINGH
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
Sri K. Devender, Dy.EE, PRI Sub Division, Karimnagar, through
the Engineer-in-Chief, PR, Hyderabad.

P.T.O.

::2::

The Engineer-in-Chief, PR, Hyderabad.

(in duplicate with a request to serve and return the dated acknowledgement copy)

Copy to:

The General Administration (V&E) Department.

(w.r.t. Vigilance Report No.85 (41/V&E/E.III/2015), DT. 03.10.2015)

The PR&RD (PR.I) Dept.

SF/SC

//FORWARDED BY ORDER//

SECTION OFFICER

ANNEUXRE –I

(Annexure to G.O.Rt.No.403 , PR&RD (Vig.I) Dept., dt.06.06.2016)

Statement showing the Article of charges framed against Sri K.Devender, Dy,EE, PRI Sub Division, Karimnagar

Charge I:

That Sri K.Devender, Dy.EE, PRI Sub Division , Karimnagar during the period 2012-13 has committed certain irregularities in the construction of road from Bommakkal SC colony to Chegurthi via Godumakunta, (MP) Karimnagar i.e with less weight of WBM Grade II-Layer (Deficiency more than 20%) which is liable for rejection.

Basis:

Based on the allegations on the construction of metal road works in Bommakkal village, the vigilance and quality control officials have inspected the work "road from Bommakkal SC Colony to Chegurthi via Godumakunta, (MP) Karimnagar" and found deficiencies in WBM layer , width of road, length of the road and PCC for bed concrete. The V&QC officials have worked out the recoveries for the observed deficiencies as per the circular memo No. 15320/Vig I/2005-1, dt:12-05-2006 of PR&RD department As the average deficiency in weight of WBM grade II is noticed more than 15%, the AE&Dy.EE, in charge of the work are responsible as per the clause 3 (a) of memo No. 15320/Vig I/2005-1, dt:12-06-2006 of PR&RD department.

Hence the Charge

Charge II:

That Sri K.Devender, Dy.EE, PRI Sub Division , Karimnagar during the period 2012-13 has committed certain irregularities in the construction of road from Bommakkal SC colony to Chegurthi via Godumakunta, (MP) Karimnagar i.e., excess recording 25 M road (GSB, WBM Grade II layer and protective carpet) without execution, which is works out of loss of Rs.28,437/- to Government exchequer.

Basis:

Based on the allegations on the construction of metal road works on Bommakkal village, the vigilance and quality control officials have inspected the work "road from Bommakkal SC Colony to Chegurthi via Godumakunta, (MP) Karimnagar" and found deficiencies in WBM grade II in Km 1/0 to 2/0 is worked out of Rs.28,437/- and as per PR&RD Circular Memo dt:12/05/2006, the deficiency of Km 0/0+1/0 is more than 20% less. Hence proposed the QC team rejected the said work and proposed for relaying of layers as the deficiency is more than 20% and the short fall in length by 25.00 mtrs is noticed, the recovery is proposed for GSB,WBM Grade II and Protective Carpet, proposed a recovery of Rs.28,437/-

Hence the Charge

Charge III:

That Sri K.Devender, Dy.EE, PRI Sub Division , Karimnagar during the period 2012-13 has committed certain irregularities in the construction of road from Bommakkal SC colony to Chegurthi via Godumakunta, (MP) Karimnagar i.e., Recorded the foundation concrete (M 10 grade) for CD works without execution, which is works out of loss of Rs.57,387/- to Government exchequer.

P.T.O.

::2::

Basis:

Based on the allegations on the construction of metal road works in Bommakkal village, the vigilance and quality control department officials have inspected the work "road from Bommakkal SC Colony to Chegurthi via Godumakunta, (MP) Karimnagar" and found the measurements of NP3 Class pipe culverts constructed at Km 1/570, Km 2/113 and Km 2/220 works were verified and observed that the foundation bed concrete under body walls of the CD works was not executed. The recovery amount for foundation concrete works proposed for Rs.57, 387/-

Hence the Charge

S.P.SINGH
SPECIAL CHIEF SECRETARY TO GOVERNMENT

//FORWARDED BY ORDER//

SECTION OFFICER

ANNEUXRE –II

(Annexure to G.O.Rt.No. 403 , PR&RD (Vig.I) Dept., dt.06.06.2016)

List of the documents by which the Article of charges framed against Sri K.Devender, Dy,EE, PRI Sub division, Karimnagar are proposed to be sustained.

Vigilance Report No.85 (41/V&E/E-III/2015) dt.03-10-2015 of GA (V&E) Dept.,

S.P.SINGH
SPECIAL CHIEF SECRETARY TO GOVERNMENT

//FORWARDED BY ORDER//

SECTION OFFICER

ANNEUXRE –III

(Annexure to G.O.Rt.No.403 , PR&RD (Vig.I) Dept., dt.06.06.2016)

List of Witnesses by which the Article of charges framed against Sri K.Devender, Dy,EE, PRI Sub division, Karimnagar are proposed to be sustained.

-NIL-

S.P.SINGH
SPECIAL CHIEF SECRETARY TO GOVERNMENT

//FORWARDED BY ORDER//

SECTION OFFICER